

FUNCTIONAL ARMCHAIR

AMULETT 736 PS

Amulett is available in two variants: 731 PS, which is fixed, and 736 PS, which is adjustable.

Amulett PS is an armchair adapted for environments with high safety requirements, such as psychiatric clinics. The chair is equipped with a fully enclosed, fixed base that conceals the mechanism, as well as a black faux leather cover that encloses the gas spring. Amulett PS features fixed upholstery, using a sewing method that reduces the risk of bacterial traps. For increased safety, all visible screws have been replaced with security screws. The control lever on the Amulett 736 PS features a discreet design that follows the contour of the seat at a tighter angle, making it less noticeable.

Amulett family consists of inclusive and embracing armchairs and a footstool, designed to perform in environments with very high demands on comfort, hygiene, and safety. The flowing design, combined with softly shaped armrests and natural materials, creates a strong tactile experience. Amulett is generous yet neat and easy to place. For optimal hygiene, Amulett has a gap between the seat, back, and frame, which reduces the risk of dirt and bacteria getting stuck. Amulett is tested for a user weight of up to 160 kg in accordance with Möbelfakta requirements.

The armchair is made of FSC®-certified birch or oak and is certified with Möbelfakta. It is offered as standard in clear lacquer, white, or black, and is also available in any custom color on request.

Design: Studio JOOY


DIMENSIONS

Height	119 cm
Width	60 cm
Depth	81 cm
Seat height	47 cm
Seat depth	47 cm
Arm guide height	67 cm

CERTIFICATIONS

FSC www.fsc.org FSC® C010544 The mark of responsible forestry

VIEWS



ADDED VALUE

- Armchair with demands on comfort, hygiene and security
- Generous, neat and easily placed
- Inclusive and embracing
- Gap between seat, back and frame for best hygiene

NC Nordic Care AB
Box 30 573 35 Tranås Sweden
+46(0)140-38 40 60, info@ncnordiccare.se
ncnordiccare.se

- Tested for public use and meets the requirements for durability & safety, set forth in the following standard, EN 16139
- Tested for 160kg

ACCESSORIES

- Frame in FSC®-certified birch or oak
- Frame in clear lacquer, white or black (standard)
- Frame in any color (special)
- Choice of fabric
- Weight plate: 3,6kg, 7,4kg & 11kg

REUSE

- Solid wood

NC Nordic Care AB
Box 30 573 35 Tranås Sweden
+46(0)140-38 40 60, info@ncnordiccare.se
ncnordiccare.se

FABRIC

- Removable and washable fabrics are washed according to washing instructions. These are sewn with a shrink seam, wash before use for optimal fit.
- Vacuuming with a soft nozzle is often sufficient for cleaning.
- Stains should always be removed as quickly as possible. In most cases, wiping with a damp cloth is sufficient, for more difficult stains, a pH-neutral detergent or a foam detergent for professional use can be used.
- Always use white cloths and avoid wetting a woolen fabric to a greater extent, as this risks remaining stains.
- If necessary, a foam detergent can also be used for a more thorough cleaning if this is allowed in the fabric's specification.

WOOD

Wood is a living material whose grain from the very beginning has a natural variation in pattern, color tone and luster. The wood is affected by, among other things, the season, heat and humidity. That wood is a living material means:

- Screws need to be re-tightened regularly, at least once a year.
- Solid table tops can naturally warp by up to 0.5%.
- Light from the sun and lighting can cause permanent color and light differences in the surface, so allow the entire wooden surface to be exposed to the same amount of light.

Out of concern for the environment, we paint a large part of our range with water-based surface treatments. This means:

- Spills of coffee and other liquids need to be wiped up immediately.
- For cleaning, hand washing detergent or pH-neutral detergents and lukewarm water are recommended. Wipe off with clean water and wipe dry. Do not use cleaning agents that are alkaline, aggressive, contain abrasives or solvents.
- For disinfection, non-alcohol-based agents are recommended, e.g. Virkon or DAX Alco Free. Alcohol-based agents must not be used.

NC Nordic Care AB
Box 30 573 35 Tranås Sweden
+46(0)140-38 40 60, info@ncnordiccare.se
ncnordiccare.se